## Amendments to the Claims

This listing of claims will replace all prior versions and listings of claims in the application:

## Listing of Claims:

Claim 1 (cancelled).

Claim 2 (currently amended): The breast prosthesis according to claim 1 12, wherein said adhesive element is coated with an adhesive material.

Claim 3 (previously presented): The breast prosthesis according to claim 2, wherein said adhesive material is adhesive silicone.

Claim 4 (previously presented): The breast prosthesis according to claim 2, wherein said adhesive element is coated with said adhesive material on an entire surface of said adhesive element on at least said side of said adhesive element adapted for facing a user.

Claim 5 (currently amended): The breast prosthesis according to claim # 12, wherein said side of said adhesive

REPRICALIFACION STANDARD 2nd OA wpd - 2 -

PAGE 3/11 \* RCVD AT 12/13/2005 4:39:24 PM [Eastern Standard Time] \* SVR:USPTO-EFXRF-6/31 \* DNIS:2738300 \* CSID:516 365 9805 \* DURATION (mm-ss):02-28

element facing said breast prosthesis is detachably secured to said back section of said breast prosthesis with hook and loop fasteners.

Claim 6 (Cancelled).

Claim 7 (currently amended): The breast prosthesis according to claim # 12, wherein said breast prosthesis is shellshaped.

Claims 8-10 (Cancelled).

Claim 11 (currently amended): The breast prosthesis according to claim + 12, wherein said breast prosthesis comprises a light weight prosthesis.

Claim 12 (previously presented): A breast prosthesis comprising:

a back section adapted for facing a user;

an annular flat region located on said back section;

R:\Patents\S\SCHNEIDER-NIESKENS 3\Amend 2nd OA.wpd

- 3 **-**

an edge extending along an outside perimeter of said annular flat region and having a gap located in an upper region of said breast prosthesis; wherein said edge is elevated in relation to said annular flat region; and

an adhesive element forming a continuous surface substantially conforming to said annular flat region and extending to an inner surface of said edge, having a projection conforming to said gap;

wherein a side of said adhesive element facing said breast prosthesis is detachably secured to said annular flat region and a side of said adhesive element adapted for facing a user is detachably adherable to said user.

Claim 13 (cancelled).

Claim 14. (currently amended): A breast prosthesis comprising:

a back section adapted for facing a user; and

K-Watenis/S/SCHNISIDER-NIESKENS 3/Amend 2nd O/A.wpd

- 4

an adhesive element forming a continuous surface substantially conforming to said back section of said breast prosthesis; said adhesive element extending over a majority portion of said back section and comprising an inner body comprising a semirigid material, a first side facing said breast prosthesis and a second side adapted for facing the user, said first side and said second side having an adhesive covering substantially an entire surface of said first side and said second side;

wherein a <u>said first</u> side of said adhesive element facing said breast prosthesis is detachably secured to said back section of said breast prosthesis and a <u>said second</u> side of said adhesive element adapted for facing a user is detachably adherable to the user.